SLEEP SCREENING QUESTIONNAIRE

This questionnaire was designed to provide important facts regarding the history of your sleep condition. To assist in determining the source of any problem, please take your time and answer each question as completely and honestly as possible. Please sign each page.

Patient Information

TODAY'S DATE: ______________

☐ MR. ☐ MS ☐ MISS NAME: ______________________________
☐ MRS. ☐ DR. FIRST MIDDLE INITIAL LAST

AGE: ______________ BIRTH DATE ______________ ☐ Male ☐ Female

ADDRESS: ______________________________

CITY/STATE/ZIP: ______________________________

HOW LONG AT CURRENT ADDRESS? ________ (IF LESS THAN THREE YEARS, PLEASE GIVE PREVIOUS ADDRESS)

PREVIOUS ADDRESS: ______________________________

EMPLOYED BY: ______________________________

ADDRESS: ______________________________

SS#: ______________ HOME PHONE: ______________ WORK PHONE: ______________

CELL PHONE: ______________ EMAIL: ______________________________

RESPONSIBLE PARTY: ______________________________

FAMILY PHYSICIAN: ______________________________

ADDRESS: ______________________________

FAMILY DENTIST: ______________________________

ADDRESS: ______________________________

Please list other health care practitioners seen in the last 9 months: ______________________________

____

INSURANCE

MEMBER NUMBER ______________________________

GROUP NUMBER ______________________________

PLAN NUMBER ______________________________

NAME OF PRIMARY CARE PHYSICIAN ______________________________

HEIGHT: ________ feet ________ inches

WEIGHT: ________ pounds

REFERRED BY: ______________________________

WHAT ARE THE CHIEF COMPLAINTS FOR WHICH YOU ARE SEEKING TREATMENT?

Please number the complaints with #1 being the most important.

____ Frequent heavy snoring
 ____ which affects the sleep of others
____ Significant daytime drowsiness
____ I have been told that "I stop breathing" when sleeping.
____ Difficulty falling asleep
____ Gasping when waking up
____ Nighttime choking spells
____ Feeling unrefreshed in the morning
____ Morning hoarseness
____ Morning headaches
____ Swelling in ankles or feet
____ Nocturnal teeth grinding
____ Jaw pain
____ Facial pain
____ Jaw clicking

Other: ______________________________ ______________________________

Patient Signature ______________________________ Date ______________

© 2006 TMJ PRACTICE MANAGEMENT ASSOCIATES, INC. 1.800.879.6468. REPRINT RIGHTS ONLY THROUGH LICENSING.

Sleep Center Evaluation

Have you ever had an evaluation at a Sleep Center? ☐ Yes ☐ No

If Yes:

Sleep Center Name and Location ______________________________

Sleep Study Date ______________

FOR OFFICE USE ONLY

The evalution confirmed a diagnosis of: ☐ *mild* ☐ *moderate* ☐ *severe* obstructive sleep apnea

The evaluation showed an RDI of ______ and an AHI of ______

CPAP Intolerance (Continuous Positive Airway Pressure device)

If you have attempted treatment with a CPAP device, but could not tolerate it please fill in this section:

I could not tolerate the CPAP device due to:

- ☐ mask leaks
- ☐ I was unable to get the mask to fit properly
- ☐ discomfort caused by the straps and headgear
- ☐ disturbed or interrupted sleep caused by the presence of the device
- ☐ noise from the device disturbing my sleep and/or bed partner's sleep
- ☐ CPAP restricted movements during sleep
- ☐ CPAP does not seem to be effective
- ☐ pressure on the upper lip causing tooth related problems
- ☐ a latex allergy
- ☐ claustrophobic associations
- ☐ an unconscious need to remove the CPAP apparatus at night

Other: ______________________________ ______________________________

Other Therapy Attempts

What other therapies have you had for breathing disorders?
(weight-loss attempts, smoking cessation for at least one month, surgeries, etc.)

____

____

____

Patient Signature ______________________________ Date ______________

© 2006 TMJ PRACTICE MANAGEMENT ASSOCIATES, INC. REPRINT RIGHTS ONLY THROUGH LICENSING.

List any medications which have caused an allergic reaction:

- Y☐ N☐ Antibiotics
- Y☐ N☐ Aspirin
- Y☐ N☐ Barbiturates
- Y☐ N☐ Codeine
- Y☐ N☐ Iodine
- Y☐ N☐ Latex
- Y☐ N☐ Local anesthetics
- Y☐ N☐ Metals
- Y☐ N☐ Penicillin
- Y☐ N☐ Plastic
- Y☐ N☐ Sedatives
- Y☐ N☐ Sleeping pills
- Y☐ N☐ Sulfa drugs

Other allergens: ______________________________

____

____

____

List any medications you are currently taking:

- Y☐ N☐ Antacids
- Y☐ N☐ Antibiotics
- Y☐ N☐ Anticoagulants
- Y☐ N☐ Antidepressants
- Y☐ N☐ Anti-inflammatory drugs (non-steroid)
- Y☐ N☐ Barbiturates
- Y☐ N☐ Blood thinners
- Y☐ N☐ Codeine
- Y☐ N☐ Cortisone
- Y☐ N☐ Diet pills
- Y☐ N☐ Heart medication
- Y☐ N☐ High blood pressure medication
- Y☐ N☐ Insulin
- Y☐ N☐ Muscle relaxants
- Y☐ N☐ Nerve pills
- Y☐ N☐ Pain medication
- Y☐ N☐ Sleeping pills
- Y☐ N☐ Sulfa drugs
- Y☐ N☐ Tranquilizers

Other current medications: ______________

____

____

Medical History

- Y☐ N☐ Anemia
- Y☐ N☐ Arteriosclerosis
- Y☐ N☐ Asthma
- Y☐ N☐ Autoimmune disorders
- Y☐ N☐ Bleeding easily
- Y☐ N☐ Chronic sinus problems
- Y☐ N☐ Chronic fatigue
- Y☐ N☐ Congestive heart failure
- Y☐ N☐ Current pregnancy
- Y☐ N☐ Diabetes
- Y☐ N☐ Difficulty concentrating
- Y☐ N☐ Dizziness
- Y☐ N☐ Emphysema
- Y☐ N☐ Epilepsy
- Y☐ N☐ Fibromyalgia
- Y☐ N☐ Frequent sore throats
- Y☐ N☐ Gastroesophageal Reflux Disease (GERD)
- Y☐ N☐ Hay fever
- Y☐ N☐ Heart disorder
- Y☐ N☐ Heart murmur
- Y☐ N☐ Heart pounding or beating irregularly during the night
- Y☐ N☐ Heart pacemaker
- Y☐ N☐ Heart valve replacement
- Y☐ N☐ Heartburn or a sour taste in the mouth at night
- Y☐ N☐ Hepatitis
- Y☐ N☐ High blood pressure
- Y☐ N☐ Immune system disorder
- Y☐ N☐ Injury to .
  - ☐ Face ☐ Neck
  - ☐ Head ☐ Mouth ☐ Teeth
- Y☐ N☐ Insomnia
- Y☐ N☐ Irregular heart beat
- Y☐ N☐ Jaw joint surgery
- Y☐ N☐ Low blood pressure
- Y☐ N☐ Memory loss
- Y☐ N☐ Migraines
- Y☐ N☐ Morning dry mouth
- Y☐ N☐ Muscle spasms or cramps
- Y☐ N☐ Needing extra pillows to help breathing at night
- Y☐ N☐ Nighttime sweating
- Y☐ N☐ Osteoarthritis
- Y☐ N☐ Osteoporosis
- Y☐ N☐ Poor circulation
- Y☐ N☐ Prior orthodontic treatment
- Y☐ N☐ Recent excessive weight gain
- Y☐ N☐ Rheumatic fever
- Y☐ N☐ Shortness of breath
- Y☐ N☐ Swollen, stiff or painful joints
- Y☐ N☐ Thyroid problems
- Y☐ N☐ Tonsillectomy (have had)
- Y☐ N☐ Wisdom teeth extraction

Other medical history:

____

____

____

____

Patient Signature ______________________________ Date ______________

© 2006 TMJ PRACTICE MANAGEMENT ASSOCIATES, INC. REPRINT RIGHTS ONLY THROUGH LICENSING.

Family History

1. Have any members of your family (blood kin) had:
   - Yes ☐ No ☐ Heart disease
   - Yes ☐ No ☐ High blood pressure
   - Yes ☐ No ☐ Diabetes

2. Have any immediate family members been diagnosed or treated for a sleep disorder? Yes ☐ No ☐

Social History

Alcohol consumption: How often do you consume alcohol within 2-3 hours of bedtime?

☐ Never ☐ Once a week ☐ Several days a week ☐ Daily ☐ Occasionally

Sedative consumption: How often do you take sedatives within 2-3 hours of bedtime?

☐ Never ☐ Once a week ☐ Several days a week ☐ Daily ☐ Occasionally

Caffeine consumption: How often do you consume caffeine within 2-3 hours of bedtime?

☐ Never ☐ Once a week ☐ Several days a week ☐ Daily ☐ Occasionally

Do you smoke? ☐ Yes ☐ No If yes, enter the number of packs per day (or other description of quantity): ____________________

Do you use chewing tobacco? ☐ Yes ☐ No

I authorize the release of a full report of examination findings, diagnosis, treatment programs, etc., to any referring or treating dentist or physician. I additionally authorize the release of any medical information to insurance companies or for legal documentation to process claims. I understand that I am responsible for all fees for treatment regardless of insurance coverage.

Patient Signature ____________________ Date ________________

© 2006 TMJ PRACTICE MANAGEMENT ASSOCIATES, INC. REPRINT RIGHTS ONLY THROUGH LICENSING.

Berlin Questionnaire Sleep Evaluation

1. Complete the following:

   height ______ age ____________

   weight ______ male/female ______

category 1

2. Do you snore?
   - ☐ yes
   - ☐ no
   - ☐ don't know

If you snore:

3. Your snoring is?
   - ☐ slighly louder than breathing
   - ☐ as loud as talking
   - ☐ louder than talking
   - ☐ very loud. Can be heard in adjacent rooms

4. How often do you snore?
   - ☐ nearly every day
   - ☐ 3-4 times a week
   - ☐ 1-2 times a week
   - ☐ 1-2 times a month
   - ☐ never or nearly never

5. Has your snoring ever bothered other people?
   - ☐ yes
   - ☐ no

6. Has anyone noticed that you quit breathing during your sleep?
   - ☐ nearly every day
   - ☐ 3-4 times a week
   - ☐ 1-2 times a week
   - ☐ 1-2 times a month
   - ☐ never or nearly never

category 2

7. How often do you feel tired or fatigued after your sleep?
   - ☐ nearly every day
   - ☐ 3-4 times a week
   - ☐ 1-2 times a week
   - ☐ 1-2 times a month
   - ☐ never or nearly never

8. During your waketime, do you feel tired, fatigued or not up to par?
   - ☐ nearly every day
   - ☐ 3-4 times a week
   - ☐ 1-2 times a week
   - ☐ 1-2 times a month
   - ☐ never or nearly never

9. Have you ever nodded off or fallen asleep while driving a vehicle?
   - ☐ yes
   - ☐ no

   If yes, how often does it occur?
   - ☐ nearly every day
   - ☐ 3-4 times a week
   - ☐ 1-2 times a week
   - ☐ 1-2 times a month
   - ☐ never or nearly never

category 3

10. Do you have high blood pressure?
    - ☐ yes
    - ☐ no
    - ☐ don't know

(For office use)

Scoring Questions: Any answer within the box outline is a positive response

Scoring categories:
Category 1 is positive with 2 or more positive responses to questions 2-6 ☐
Category 2 is positive with 2 or more positive responses to questions 7-9 ☐
Category 3 is positive with 1 positive response and/or a BMI>30 ☐ (BMI = Body Mass Index)

Final Result: 2 or more possible categories indicates a high likelihood of sleep disordered breathing.

Patient Signature ______________________________ Date ______________

THE EPWORTH SLEEPINESS SCALE

How likely are you to doze off or fall asleep in the following situations?

√ Check one in each row:	**0** **No chance of dozing**	**1** **Slight chance of dozing**	**2** **Moderate chance of dozing**	**3** **High chance of dozing**
Sitting and reading	☐	☐	☐	☐
Watching TV	☐	☐	☐	☐
Sitting inactive in a public place (e.g. a theater or a meeting)	☐	☐	☐	☐
As a passenger in a car for an hour without a break	☐	☐	☐	☐
Lying down to rest in the afternoon when circumstances permit	☐	☐	☐	☐
Sitting and talking to someone	☐	☐	☐	☐
Sitting quietly after a lunch without alcohol	☐	☐	☐	☐
In a car, while stopped for a few minutes in traffic	☐	☐	☐	☐

Total Score: ____________

(Add columns 0-3)

Patient Signature ______________________________ Date ____________________

© 2006 TMJ PRACTICE MANAGEMENT ASSOCIATES, INC. 1.800.879.6468. REPRINT RIGHTS ONLY THROUGH LICENSING.